

PTC® Creo® Fatigue Advisor Extension

PTC Creo Fatigue Advisor Extension expands the capabilities of PTC® Creo® Simulate™ and allows the evaluation of product design for durability. Using PTC Creo Fatigue Advisor Extension, you can predict the life of metal structures that are prone to fatigue failure under cyclic loading and investigate the impact that design changes have on their endurance.


PTC Creo Simulate and PTC Creo Fatigue Advisor Extension have the same user interface, workflow and productivity tools that are standard throughout the PTC Creo family. The combination of PTC Creo Simulate and PTC Creo Fatigue Advisor can be used as a standalone application or as an extension of PTC® Creo® Parametric™.

Features and Specifications

Includes all the features of PTC Creo Simulate, plus the following:

Formulation

- Focus on Crack Initiation
- Strain – Life Analysis (EN)
- Effective for low and high cycle fatigue regions
- Consideration of plasticity
 - Neuber
- Mean Stress correction
 - Smith-Watson-Topper
 - Morrow
- Surface treatment and Finish correction
- Bi-axiality correction
 - Klann-Tipton-Cordes
 - Hoffman-Seeger



With PTC Creo Fatigue Advisor Extension, you can easily estimate the number of load cycles your model can sustain before failure.

Material Library

- Unified Material Law for Unalloyed steels, Low Alloy Steels, Titanium Alloys, Aluminum Alloys
- Surface Finish: Polished, Machined, Hot Rolled, Cold Rolled, Forged, Cast, Water Corroded, Sea Water Corroded, Nitrided, Shot Peened

Load History

- Constant Amplitude
 - Peak-Peak
 - Zero-Peak
 - User Defined
- Variable Amplitude
 - Load Factor Table
 - 2nd Order Rainflow Counting

Results

- Number of cycles to failure (Life)
- Factor of Safety
- Confidence of Life based on specified desired number of cycles
- Results display on model
 - Use of the full PTC Creo Simulate post-processing environment
- Results recorded as Measures

Design Studies

- Fatigue Measures as dependent variables of PTC Creo Simulate Design Studies
 - Local Sensitivity
 - Global Sensitivity
 - Optimization



With the confidence of life plot, you can quickly examine the ratio between the calculated life and the target design life.

Language Support

- English
- German
- French
- Japanese
- Russian
- Simplified Chinese

Platform Support and System Requirements

Visit the PTC support page for platform support and system requirements.

To learn more visit: PTC.com/product/creo

© 2013, PTC Inc. (PTC). All rights reserved. Information described herein is furnished for informational use only, is subject to change without notice, and should not be taken as a guarantee, commitment, condition or offer by PTC. PTC, the PTC Logo, PTC Creo, PTC Creo Simulate, PTC Creo Parametric and all other PTC product names and logos are trademarks or registered trademarks of PTC and/or its subsidiaries in the United States and other countries. All other product or company names are property of their respective owners. The timing of any product release, including any features or functionality, is subject to change at PTC's discretion.

J2444-PTC-Creo-Fatigue-Advisor-Extension-DS-EN-0713